

S016-10458

ADDENDUM NUMBER: Addendum - One

PROJECT TITLE: Milwaukee County Department on Aging
Kelly Dining Hall
Restroom Renovations
Site Number: 645
Building Number: 3125
6100 South Lake Drive
Cudahy, WI. 53110-3200

PROJECT NUMBER: S016-10458

DATE OF ADDENDUM: March 02, 2011

This Addendum to the Contract Documents is issued to modify, explain or correct the original Documents, Dated February 08, 2011, and is hereby made part of the Contract Documents. Acknowledge receipt of this addendum in the space provided on the Bid Form, or bid may be rejected.

SPECIFICATIONS

Section 22 42 00 – Commercial Plumbing Fixtures; Part 2 – Products; 2.01 Plumbing Fixtures;
B. Water Closets:

Revise: WC-1 Water Closet

- Flush Valve: *Sloan Royal #111-1.6 low consumption (1.6 gpf).*

Revise: WC-2 Water Closet

- Flush Valve: *Sloan Royal #111-1.6 low consumption (1.6 gpf).*

C. Urinals:

Revise: UR-1 Urinal

- Flush Valve: *Sloan Royal Model – Flushometer #186-1.0 low consumption low consumption (1.0 gpf).*

END OF SECTION